Motor Delays could be a sign of Neuromuscular Disease¹





The AAP recommends a development screening at the 30 month well-child visit:⁶ if signs of developmental delays are identified, a CK test is recommended^{4.7,8}

*CK = creatine kinase.

REFERENCES

 Motor Delay Algorithm. National Task Force for Early Identification of Childhood Neuromuscular Disorders website: https://childmuscleweakness.org/motor-delay-algorithm/ Accessed September 2, 2022.
Zubler JM, Wiggins LD, Macias MM, et al. Evidence-Informed Milestones for Developmental Surveillance Tools. Pediatrics. 2022;149(3):e2021052138 3. CDC Milestone website: https://www.cdc.gov/ncbdd/ pactearly/pdf/parents_pdfs/milestonemomentseng508.pdf Accessed September 2, 2022. 4
Noritz GH, Murphy NA. Motor Delays: Early Identification and Evaluation. Pediatrics. 2013;13(6). doi: 10.1542/ peds.2013-1056 5. Ciafaloni E, Kumar A, Liu K, et al. Age at onset of first signs or symptoms predicts age at loss of ambulation in Duchenne and Becker Muscular Dystrophy: Data from the MD STARnet. J Pediatr Rehabil Med. 2016;9(1):5-11. doi:10.2323/PRM-160361. 6. Recommendations for Preventative Pediatric: Healthcare: Bright Futures/American Academy of Pediatrics: Https://downloads.aap.org/AAP/PDF/ periodicity_schedule.pdf Accessed September 10, 2023. 7. Lurio JG, et al. Am Fam Physician. 2015;9(1):38-44. 8. National Task Force for the Early Identification of Ohildhood Neuromuscular Disorders. Child Muscle Weakness. Guide for primary care provider. Accessed August 31. 2023. https://childmuscleweakness.org/wp-content/uploads/2019/05/PrimaryCareProviderPacket.pdf.

©2023 Sarepta Therapeutics, Inc. 215 First Street, Cambridge, MA 02142. All rights reserved. 09/23 C-NP-US-2613 SAREPTA, SAREPTA THERAPEUTICS, the SAREPTA Helix Logo are trademarks of Sarepta Therapeutics, Inc. registered in the U.S. Patent and Trademark Office and may be registered in various other jurisdictions.